

Atty Docket No. NOKIA.5006US

IN THE CLAIMS:

Please amend the claims according to the following listing of claims:

1. (Currently Amended) A method for providing wireless communication between a mobile station and a network station using a context for message compression, comprising:
storing persistently signaling messages specific to a profile for a specific mobile station or user of a mobile station in a dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station; and
providing communication between the mobile station and the network station using the dictionary for storing signaling messages specific to the a-profile for a specific mobile station or user of a mobile station for message compression.
2. (Previously Presented) The method of Claim 1, the signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising mobile station or network station information.
3. (Original) The method of Claim 1, the signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising user information.
4. (Original) The method of Claim 3, further comprising storing the user information in an identity module, the identity module removable from the mobile station.
5. (Previously Presented) The method of Claim 1, the dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising a plurality of dictionaries, and storing signaling messages specific to a profile for a specific mobile station or user of a mobile station in a dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising storing in each of the plurality of dictionaries signaling messages specific to a profile for a specific mobile station or user of a mobile station corresponding to one of the plurality of mobile stations.

BEST AVAILABLE COPY

Atty Docket No. NOKIA.5006US

6. (Previously Presented) The method of Claim 1, further comprising:
storing persistently signaling protocol-specific information in a static dictionary; and
providing communication between the mobile station and the network station further
comprising providing communication between the mobile station and the network station using
the signaling protocol-specific dictionary for message compression.
7. (Previously Presented) The method of Claim 1, further comprising:
downloading compression/decompression code for at least one of a compressor operable
to compress messages and a decompressor operable to decompress messages; and
providing communication between the mobile station and the network station further
comprising providing communication between the mobile station and the network station using
the compression/decompression code.
8. (Previously Presented) A system for providing wireless communication between a
mobile station and a network station using a context for message compression, comprising:
a computer-processable medium; and
logic stored on the computer-processable medium, the logic operable to store persistently
signaling messages specific to a profile for a specific mobile station or user of a mobile station in
dictionary for storing signaling messages specific to a profile for a specific mobile station or user
of a mobile station and to provide communication between the mobile station and to provide
communication between the mobile station and the network station using the dictionary for
storing signaling messages specific to a profile for a specific mobile station or user of a mobile
station for message compression.
9. (Previously Presented) The system of Claim 8, the signaling messages specific to a
profile for a specific mobile station or user of a mobile station comprising mobile station or
network station information.

Atty Docket No. NOKIA.5006US

10. (Previously Presented) The system of Claim 8, the signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising user information.

11. (Previously Presented) The system of Claim 8, the dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising a plurality of dictionaries, and the logic operable to store signaling messages specific to a profile for a specific mobile station or user of a mobile station in a dictionary for storing signaling messages specific to a profile for a specific mobile station or user of mobile station by storing in each of the plurality of dictionaries signaling messages specific to a profile for a specific mobile station or user of a mobile station corresponding to one of a plurality of mobile stations.

12. (Previously Presented) The system of Claim 8, the logic further operable to store persistently signaling protocol-specific information in a static dictionary and to provide communication between the mobile station and the network station by providing communication using the signaling protocol-specific dictionary for message compression.

13. (Previously Presented) The system of Claim 8, the logic further operable to download compression/depression code for at least one of a compressor operable to compress messages and a decompressor operable to decompress messages and to provide communication between the mobile station and the network station by providing communication using the compression/depression code.

14. (Previously Presented) A method for providing a dictionary for message compression, comprising:

receiving, by a network station, a setup message from a mobile station;
based on the setup message, searching for a common dictionary by the network station;
attempting to validate the common dictionary by the network when the common dictionary is found by the network station, for checking that the common dictionary at the network station corresponds in content to a corresponding dictionary at the mobile station;

BEST AVAILABLE COPY

Atty Docket No. NOKIA.5006US

providing a common dictionary identifier associated with the common dictionary from the network station to the mobile station when the common dictionary is validated by the network station; and

communicating with the mobile station using the common dictionary.

15. (Original) The method of Claim 14, further comprising:
requesting the common dictionary from a compression server when no common dictionary is found; and
requesting the common dictionary from the compression server when the common dictionary is not validated.

16. (Original) The method of Claim 15, further comprising:
receiving the common dictionary from the compression server; and
providing a common dictionary identifier associated with the common dictionary to the mobile station when the common dictionary is received from the compression server.

17. (Previously Presented) The method of Claim 14, the common dictionary comprising a dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station.

18. (Previously Presented) The method of Claim 17, the dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station operable to store persistently signaling messages specific to a profile for specific mobile station or user of a mobile station, the signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising mobile station or network station information.

19. (Previously Presented) The method of Claim 17, dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station operable to store persistently signaling messages specific to a profile for specific mobile station or user of a

Atty Docket No. NOKIA.5006US

mobile station, the signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising user information.

20. (Previously Presented) The method of Claim 17, the dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising a plurality of dictionaries, each of the plurality of dictionaries operable to store persistently signaling messages specific to a profile for a specific mobile station or user of a mobile station corresponding to one of a plurality of mobile stations.

21. (Previously Presented) The method of Claim 14, the common dictionary comprising a static dictionary, the static dictionary operable to store persistently signaling protocol-specific information comprising communication Session Initiation Protocol information.

22. (Previously Presented) A station for providing wireless communication using message compression, comprising

a dictionary module operable to store a plurality of dictionaries, each dictionary operable to store a plurality of signaling message strings, one of the dictionaries comprising a dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station;

a compressor coupled to the dictionary module, the compressor operable to generate a first reference value corresponding to a first string in a first signaling message that is to be communicated and to communicate the first reference value instead of the first string; and

a decompressor coupled to the dictionary module, the decompressor operable to receive a second reference value and to recover a second string in a second signaling message based on the second reference value.

23. (Previously Presented) The station of Claim 22, the dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station operable to store persistently signaling messages specific to a profile for a specific mobile station or user of a

Atty Docket No. NOKIA.5006US

mobile station, the signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising mobile station or network station information.

24. (Previously Presented) The station of Claim 22, the dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station operable to store persistently signaling messages specific to a profile for a specific mobile station or user of a mobile station, the signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising user information.

25. (Previously Presented) The station of Claim 24, dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising an identity module operable to store persistently the user information, the identity module removable from the station.

26. (Previously Presented) The station of Claim 22, the dictionary for storing signaling messages specific to a profile for a specific mobile station or user of a mobile station comprising a plurality of dictionaries, each of the plurality of dictionaries operable to store persistently signaling messages specific to a profile for a specific mobile station or user of a mobile station corresponding to one of a plurality of mobile stations.

27. (Previously Presented) The station of Claim 22, a second one of the dictionaries comprising a static dictionary, the static dictionary operable to store persistently signaling protocol-specific information, the signaling protocol-specific information comprising communication Session Initiation Protocol information.

28. - 51. (Cancelled)

BEST AVAILABLE COPY